

Package: websearchr (via r-universe)

September 20, 2026

Title Access Domains and Search Popular Websites

Version 0.0.3

Description Functions for accessing domains and a number of search engines.

License MIT + file LICENSE

URL <https://github.com/fschaffner/websearchr>,
<https://florianschaffner.com/websearchr>

BugReports <https://github.com/fschaffner/websearchr/issues>

Depends R (>= 3.4.0)

Imports utils

Encoding UTF-8

LazyData true

RoxygenNote 6.1.1

Repository <https://fschaffner.r-universe.dev>

Date/Publication 2019-09-27 16:25:59 UTC

RemoteUrl <https://github.com/fschaffner/websearchr>

RemoteRef HEAD

RemoteSha c8e2b16005cc19c913e3c3cf971a0c4717525a4f

Contents

bing	2
crossref	2
duckduckgo	3
github	3
google	4
google_scholar	4
last_error	5
last_warning	5
qwant	6

r_bloggers	6
rdocumentation	7
rdr_io	7
reddit	8
stackoverflow	8
startpage	9
twitter	9
web	10
wikipedia	10
wolframalpha	11
Index	12

bing	<i>Search Bing</i>
------	--------------------

Description

Improve your workflow by searching Bing directly from the console without having to switching to the browser and opening a new tab first.

Usage

bing(search_terms)

Arguments

search_terms Search terms encapsulated in " ".

Examples

bing("my search terms")

crossref	<i>Find DOI's and other bibliographic metadata</i>
----------	--

Description

Search crossref.org directly from the R console without having to switching to the browser and opening a new tab first.

Usage

crossref(search_terms)

Arguments

search_terms Search terms encapsulated in " ".

Examples

```
crossref("my source")
```

```
duckduckgo
```

```
Search Duckduckgo
```

Description

Improve your workflow by searching with duckduckgo.com directly from the console without having to switching to the browser and opening a new tab first.

Usage

```
duckduckgo(search_terms)
```

```
ddg(search_terms)
```

Arguments

`search_terms` Search terms encapsulated in " ".

Examples

```
duckduckgo("my search terms")  
ddg("r-project")
```

```
github
```

```
Search GitHub
```

Description

Improve your workflow by searching GitHub directly from R console.

Usage

```
github(search_terms)
```

Arguments

`search_terms` Search terms encapsulated in " ".

Examples

```
github("ggplot extensions")
```

`google`*Search Google*

Description

Improve your workflow by searching google directly from the console without having to switching to the browser and opening a new tab first.

Usage

```
google(search_terms)
```

Arguments

`search_terms` Search terms encapsulated in " ".

Examples

```
google("my search terms")
```

`google_scholar`*Search Google Scholar*

Description

Improve your workflow by searching Google Scholar directly from the console without having to switching to the browser and opening a new tab first.

Usage

```
google_scholar(search_terms)
```

Arguments

`search_terms` Search terms encapsulated in " ".

Examples

```
google_scholar("my search terms")
```

`last_error`*Get last error*

Description

This is a helper function that returns the last produced error message in R, which is intended to be used within any of the search functions of the `websearchr` package. It adds the keyword "R" to the beginning for improved accuracy of search results.

Usage

```
last_error()
```

Examples

```
# Query last error message
last_error()
```

`last_warning`*Get last warning*

Description

This is a helper function that returns the last produced warning message in R, which is intended to be used within any of the search functions of the `websearchr` package. It adds the keyword "R" to the beginning for improved accuracy of search results.

Usage

```
last_warning()
```

Examples

```
## Not run:
# Create example warning
warning("Example warning")

# Query last warning message
last_warning()

## End(Not run)
```

`qwant`*Search Qwant*

Description

Improve your workflow by searching Qwant directly from the console without having to switching to the browser and opening a new tab first.

Usage

```
qwant(search_terms)
```

Arguments

`search_terms` Search terms encapsulated in " ".

Examples

```
qwant("my search terms")
```

`r_bloggers`*Search r-bloggers.com*

Description

Improve your workflow by searching r-bloggers.com directly from the console without having to switching to the browser and opening a new tab first.

Usage

```
r_bloggers(search_terms)
```

Arguments

`search_terms` Search terms encapsulated in " ".

Examples

```
r_bloggers("my search terms")
```

rdocumentation	<i>Search rdocumentation.org</i>
----------------	----------------------------------

Description

Improve your workflow by searching rdocumentation.org directly from the console without having to switching to the browser and opening a new tab first.

Usage

```
rdocumentation(search_terms)
```

```
rdoc(search_terms)
```

Arguments

search_terms Search terms encapsulated in " ".

Examples

```
rdocumentation("my search terms")  
rdoc("package I am looking for")
```

rdr.io	<i>Search rdr.io</i>
--------	----------------------

Description

Improve your workflow by searching rdr.io directly from the console without having to switching to the browser and opening a new tab first.

Usage

```
rdr.io(search_terms)
```

```
rdr(search_terms)
```

Arguments

search_terms Search terms encapsulated in " ".

Examples

```
rdr.io("my search terms")  
rdr("my search terms")
```

`reddit`*Search Reddit*

Description

Improve your workflow by searching Reddit directly from the console without having to switching to the browser and opening a new tab first.

Usage

```
reddit(search_terms)
```

Arguments

`search_terms` Search terms encapsulated in " ".

Examples

```
reddit("my search terms")
```

`stackoverflow`*Search Stackoverflow*

Description

Improve your workflow by searching Stackoverflow directly from R console.

Usage

```
stackoverflow(search_terms)
```

```
so(search_terms)
```

Arguments

`search_terms` Search terms encapsulated in " ".

Examples

```
stackoverflow("r date conversion")  
so("r ggplot2 geom_smooth()")
```

`startpage`*Search Startpage*

Description

Improve your workflow by searching with startpage.com directly from the console without having to switching to the browser and opening a new tab first.

Usage

```
startpage(search_terms)
```

```
sp(search_terms)
```

Arguments

`search_terms` Search terms encapsulated in " ".

Examples

```
startpage("my search terms")
sp("r-project")
```

`twitter`*Search Twitter*

Description

Improve your workflow by searching Twitter directly from the console without having to switching to the browser and opening a new tab first.

Usage

```
twitter(search_terms, lang = c("en", "de", "es", "fr"))
```

Arguments

`search_terms` Search terms encapsulated in " ".

`lang` Specify in which language Twitter should be accessed One of c("en", "de", "es", "fr") for English, German, Spanish and French, respectively.

Examples

```
twitter("rstudiotips")
```

web	<i>Access Domain</i>
-----	----------------------

Description

Improve your workflow by accessing web directly from R console.

Usage

```
web(address, https = TRUE, suppressWWW = FALSE)
```

Arguments

address	The web address you want to open, encapsulated in " ".
https	if FALSE "http" will be used instead of the default "https".
suppressWWW	if TRUE "www" will be suppressed and the user input will follow directly after https://

Examples

```
web("r-project.org")
```

wikipedia	<i>Search Wikipedia</i>
-----------	-------------------------

Description

Improve your workflow by searching Wikipedia directly from the console without having to switch to the browser and opening a new tab first.

Usage

```
wikipedia(search_terms, lang = c("en", "de", "es", "fr"))
```

```
wp(search_terms, lang = c("en", "de", "es", "fr"))
```

Arguments

search_terms	Search terms encapsulated in " ".
lang	In which language Wikipedia should be accessed. One of c("en", "de", "es", "fr") for English, German, Spanish and French, respectively.

Examples

```
wikipedia("my search terms")
wp("my search terms")
```

`wolframalpha`*Search WolframAlpha*

Description

Improve your workflow by searching WolframAlpha directly from the console without having to switching to the browser and opening a new tab first.

Usage

```
wolframalpha(search_terms)
```

```
wolfram(search_terms)
```

Arguments

`search_terms` Search terms encapsulated in " ".

Examples

```
wolframalpha("my search terms")
```

```
wolfram("my search terms")
```

Index

- * **DOI**
 - crossref, [2](#)
- * **bibliography**
 - crossref, [2](#)
- * **bing**
 - bing, [2](#)
- * **duckduckgo**
 - duckduckgo, [3](#)
- * **error**
 - last_error, [5](#)
- * **github**
 - github, [3](#)
- * **google**
 - google, [4](#)
 - google_scholar, [4](#)
- * **internet**
 - bing, [2](#)
 - crossref, [2](#)
 - duckduckgo, [3](#)
 - github, [3](#)
 - google, [4](#)
 - google_scholar, [4](#)
 - qwant, [6](#)
 - r_bloggers, [6](#)
 - rdocumentation, [7](#)
 - rdr.io, [7](#)
 - reddit, [8](#)
 - startpage, [9](#)
 - twitter, [9](#)
 - wikipedia, [10](#)
 - wolframalpha, [11](#)
- * **message**
 - last_error, [5](#)
 - last_warning, [5](#)
- * **qwant**
 - qwant, [6](#)
- * **r-bloggers**
 - r_bloggers, [6](#)
- * **rdocumentation**
 - rdocumentation, [7](#)
- * **rdr.io**
 - rdr.io, [7](#)
- * **reddit**
 - reddit, [8](#)
- * **scholar**
 - google_scholar, [4](#)
- * **stackoverflow**
 - stackoverflow, [8](#)
- * **startpage**
 - startpage, [9](#)
- * **warning**
 - last_warning, [5](#)
- * **web**
 - stackoverflow, [8](#)
 - web, [10](#)
- * **wikipedia**
 - twitter, [9](#)
 - wikipedia, [10](#)
- * **wolframalpha**
 - wolframalpha, [11](#)
- * **workflow**
 - bing, [2](#)
 - crossref, [2](#)
 - duckduckgo, [3](#)
 - github, [3](#)
 - google, [4](#)
 - google_scholar, [4](#)
 - qwant, [6](#)
 - r_bloggers, [6](#)
 - rdocumentation, [7](#)
 - rdr.io, [7](#)
 - reddit, [8](#)
 - stackoverflow, [8](#)
 - startpage, [9](#)
 - twitter, [9](#)
 - web, [10](#)
 - wikipedia, [10](#)
 - wolframalpha, [11](#)

bing, [2](#)

crossref, [2](#)

ddg (duckduckgo), [3](#)
duckduckgo, [3](#)

github, [3](#)
google, [4](#)
google_scholar, [4](#)

last_error, [5](#)
last_warning, [5](#)

qwant, [6](#)

r_bloggers, [6](#)
rdoc (rdocumentation), [7](#)
rdocumentation, [7](#)
rdr (rdr_io), [7](#)
rdr_io, [7](#)
reddit, [8](#)

so (stackoverflow), [8](#)
sp (startpage), [9](#)
stackoverflow, [8](#)
startpage, [9](#)

twitter, [9](#)

web, [10](#)
wikipedia, [10](#)
wolfram (wolframalpha), [11](#)
wolframalpha, [11](#)
wp (wikipedia), [10](#)